GRADE MAIH Onot 13

Analyzing and
Understanding Data
Distributions

Extra! Extra! Read all about it!

We are going to start Unit 11 (Analyzing and Undertanding Data Distribution). Here is a list of IXL topics, for every topic you complete you will earn some extra credit. Here are the possible points you can earn on each topic. The extra credit will be due by ______ Smart Score on IXL - REVIEW PREVIOUS GRADNG SCALE.

Unit 11 Topics – You can earn up to 100 extra credit points! You got this ©

6.SP.A.1 Recognize a statistical question as one that anticipates variability in the data related to the question and accounts for it in the answers.

1. Identify statistical questions (6-HH.1)

6.SP.A.2 Understand that a set of data collected to answer a statistical question has a distribution which can be described by itscenter (mean, median, mode), spread (range), and overall shape.

- 2. Describe distributions in line plots (6-HH.)
- 3. Create line plots (6-GG.4)
- 4. Interpret stem-and-leaf plots (6-GG.18)
- 5. Create stem-and-leaf plots (6-GG.19)
- 6. Calculate quartiles and interquartile range (6-HH.7)
- 7. Box plots (6-GG.20)

6.SP.A.3 Recognize that a measure of center for a numerical data set summarizes all of its values with a single number, while a measure of variation describes how its values vary with a single number.

8. Mean, median, mode, and range: find the missing number (6-HH.4)

6.SP.B.4 Display a single set of numerical data using dot plots (line plots), box plots, pie charts and stem plots.

- 9. Create histograms (6-GG 12)
- **10.** Create line plots (6-GG.4)
- **11.** Box plots (6-GG.20)

6.SP.B.5.a Report the number of observations.

- **12.** Interpret histograms (6-GG.11)
- 13. Interpret line plots (6-GG.3)

6.SP.B.5.b Describe the nature of the attribute under investigation, including how it was measured and its units of measurement.

14. Identify representative, random, and biased samples (6-HH.9)

6.SP.B.5.c Give quantitative measures of center (median and/or mean) and variability (range) as well as describing any overall pattern with reference to the context in which the data were gathered.

- 15. Calculate mean, median, mode, and range (6-HH.2)
- 16. Interpret charts and graphs to find mean, median, mode, and range (6-HH.3)
- 17. Calculate mean absolute deviation (6-HH.6)
- 18. Calculate quartiles and interquartile range (6-HH.7)
- 19. Describe distributions in line plots (6-HH.)
- 20. Identify an outlier and describe the effect of removing it (6-HH.)

Statistical Questions	Name:	Date:	
Daily Target: I can determine	whether or not a question is statistical		
Statistical Question			
A qu responses. (The answer	estions hasrs will vary).	possible	
*Ask whether or not you gather data from that!	can have more than one ans	wer. Ask your.	self if you can
Examples: Statistical = S	S; Not Statistical = NS		
How much do people exe Based on multiple people - so multip		S	NS
How much did I exercise (Based on only ONE person – so only C		S	NS
How many pages are in 1 Based on only ONE book - so only ON		S	NS
How many pages are in s		S	NS
How tall is my best friend Based on only ONE person – so only C		S	NS
How tall are my classma ^r Based on multiple people – so multipl		S	NS
Practice!			
True or False:			
'How many days are in N	larch?" is a statistical questic	on. T	F
'How old is your dog" is	NOT a statistical question.	T	F
'Do you like watermelon	s?" is NOT a statistical questi	on. T	F
'On average, how old are is a statistical question.	the dogs that live on this str	eet T	F


Statistical Questions	Name:	Date:	
Daily Target: I can determine who	ether or not a question is stat	istical or not.	

Remember:

If the question has MULTIPLE answers it is a statistical question! If the question only has ONE answer, it is NOT a statistical question!

Practice! Determine if the questions is statistical or not. What was the temperature at noon today at City Hall? NS How many bricks are in this wall? S NS What proportion of the students at your school S NS like watermelons? How tall are the students in my class? S NS What grades did students score on the test? S NS How many marbles are in the jar? S NS What was the difference in rainfall between S NS March and April? Will I score a basket in the game tonight? S NS What does this apple cost? S NS How fast can dogs run 100 yards? S NS Does a chocolate bar weigh more than a S NS pack of jelly beans? How many miles can cars travel on a gallon of gas? S NS How often do adults eat breakfast? S NS 175

What Has One Hundred Heads and One Hundred Tails?




Read each question and determine if it is statistical or not.

Statistical	Not Statistical
D	Α
В	S
M	E
N	J
Т	E
N	R
0	Y
V	D
A	E
N	О
N	F
Н	R
P	I
A	H
I	L
E	W
I	U
	D B M N T N O V A N N H P A I E

Finding the Mean	Name:	Date:
Daily Target: I can find the mean in a g	given set of numbers/dat	a.

M	ean	Av	erage
The	in a given set of	When you take	of the data added
numbers or data.			by the amount of
		I	n the data set you have.


Line Plot of Student Height:



 $Height\ of\ students\ in\ centimeters$

Step One:
the numbers in the
givenset.
Step Two:
up all of the numbers in
the data set.
Step Three:
how many numbers
there are in the data
Step Four:
the sum of the data by
how manyyou
have in the data set.

Try it!____



000 000 000	Independent Task	Mean Average & Working
а	14, 12, 9, 2, 3, 1, 1	
b	10, 10, 10, 5, 9, 12, 12, 24, 8, 31, 3, 10	
С	102, 156, 150, 67	
d	1, 2, 3, 3, 2, 1, 1, 2, 3, 4, 5, 6, 6, 5, 4	
е	19, 14, 26, 100, 56, 32, 1, 4	
f	50, 50, 40, 40, 30, 30, 20, 20, 10, 10	
g	14, 14, 14, 12, 12, 12, 12, 12, 12, 14, 14, 14	·
h	205, 422, 167, 800, 581, 671	
i	1004, 1009, 1010, 1015, 1000	
j	9605, 5320, 6802, 1202, 3337, 8912, 6822	

Review

I got _____ correct out of 10. To improve I need to...

<u>Median, Mode, and Range</u>	Name:			Date:	
Daily Target: I can find the mode, med	lian, and range	in a given set	of numbe	ers/data.	
Median		Mode		Ra	ınge
The(or	The most			The	
average of the middle) of a set of	number(s) in a given or	set of	between the	smallest and number in a
numbers or data.				given set of _ or data.	
Line Plot of Student Height:					
x x x	X X X	x	×	X X X X X	
135 136 137			+ +	4 145 146 147	
	Height of	students in cent	timeters		
Step One:	neight of	Students in cent	unicuis		
the numbers in	the				
data set.					
Step Two:					
Order the numbers from	to				
greatest.					
Finding Median:					
Step Three:					
In pairs, off a number :	from each				
side of the list until you only have					
That is the median. If there are tw	-				-
find the of the two middle.	in the				
Finding Mode:					
Step Three:					
Find the number that shows up the	e				
often. (Sometimes there is more t					
Finding Range:		-			
Step Three:					
Find the (subtraction to between the greatest number and	-				
number in the of numb					

Median, Mode, and Range	Name:		Date:
Daily Target: I can find the outlier in a gi		r information.	

Outlier			
A that doesn't	belong beca	use it's too _	or too low.
*The is the best me	easure of cen	ter when the	re is NO outlier.
*The is the bo	est measure (of center whe	n there IS an outlier.
Step One:	Caesa	r's Test Scores	: 84, 80, 78, 90, 76, 88, 86, 80
the mean, media and mode of the given data set. Step Two:			
Determine if there is an in the given or numbers.	Media	n:	
Step Three: Determine the	Mode:		
measure of center. Outlier – median	Is ther	e an outlier?	
No outlier – mean		-	ure of center?
Practice!	<u> </u>		
) Basketball Team Scores: 24, 35, 18, 2	0, 17, 30		Mean:
			Median:
			Mode:
) Softball Team Scores: 14, 9, 20, 5, 17,	9, 5		Mean:
			Median:
			Mode:
) Daily Theater Attendance: 116, 130, 1	.20, 125, 140, 1	25	Mean:
			Median:
			Mode:

Getting a Jump on Statistics

The Aussie Middle School track team has been practicing for the long-jump competition. Each day, Coach Kanga has recorded each athlete's best long-jump distance in feet. Use the data in the chart below to calculate the mean, median, mode, and range of each athlete's long jumps. Then answer the questions that follow

	ons that follow,	Monday	Tuesday	Wednesday	Thursday	Friday	mean	median	mode	range	(A)
12	Kerry	17	17	18	15	13					1 7 3 N
	Kandy	19	15	20	20	16					
-5	Kyle	22	25	19	27	27					171
77 77 77 24	Katie	19	13	19	24	25					
24	Kelsie	24	22	19	20	20					VI POS
27 28 3	Kevin	28	25	26	24	27					1
8 9 9 9	Kenon	19	17	23	23	28					
	Kathryn	30	28	24	25	28					
1. Which athlete	e has the highest	mea	in?	1721	Ritera	7					
	e has the lowest							-			

- 3. Which 2 athletes have the same mode?
- 4. Is the mean higher for Kelsie or Katie?

 By how much?
- 5. Which athlete was most consistent in long-jump distances? (Hint: Look at the range.)
- 6. Which athlete was least consistent in long-jump distances?
- 7. Which 2 athletes have the same median?
- 8. The top 3 jumpers will compete in this weekend's competition. Which 3 athletes would you recommend? _____ Explain why.

Bonus Box: On which day of the week did the team have the highest mean? On which day did the team have the lowest mean?

lame:			Date:		Period:
Part 1		Mario's	Dilemma		
Below is a list o	of Mario's mo	st recent test :	scores.		3
81%	95%	88%	85%	81%	00
Mean: Median: Mode: Range:					
1. Calculate the	mean, medi	ian, mode, an	d range of M	ario's test scor	es.
2. Mario wants to should Mario use 3. Oh, no! Mario Without recalculations 3. Oh, no! Mario wants to should Mario use	o scored a 38	8% on his 6 th te	st. How do yo	ou THINK the d	ata will change?
measures (becor				иррен 10 еаст	TOT THE above
Me	an:			_	
Мо	de:			_	
Rar	nge:				
4. Find the mean	ı, median, ma	ode, and rang	je, including tl	ne 6 th test scor	e.
Mean:					
Median: Mode: Range:					

5. How do	oes the da	ta change?				
	Mean:					
	Media	ın:				
	Mode:					
	Range					
	7					
Part 2	J					
	list of Mari		er test scores.			
Below is a	ate the me	o's first quarte ean, median,	er test scores. mode, and ro	ange of the do	ta.	
Below is a		o's first quarte	er test scores.			
Below is a 6. Calcula Mean: Median Mode:	ate the me	o's first quarte ean, median,	er test scores. mode, and ro	ange of the do	ta.	
Mean: Mediar Mode: Range:	70%	o's first quarte ean, median, 89 %	er test scores. mode, and ro	ange of the do	ta. 80 %	
Mean: Median Mode: Range: Range:	70% n: Mario's cue would ha	ean, median, 89% Urrent percente studied fo	er test scores. mode, and ro 75% Int and letter gr or the test and	ange of the do 36% rade in the cla scored a 91%	ta. 80% ass? instead of a 36%	on one of his tests,
Mean: Median Mode: Range: Range:	70% n: Mario's cue would ha	ean, median, 89% Urrent percente studied fo	er test scores. mode, and ro 75% Int and letter gr or the test and	ange of the do 36% rade in the cla	ta. 80% ass? instead of a 36%	on one of his tests
Mean: Mediar Mode: Range: Nhat is	70% n: Mario's cue would ha	ean, median, 89% Urrent percente studied fo	er test scores. mode, and ro 75% Int and letter gr or the test and	ange of the do 36% rade in the cla scored a 91%	ta. 80% ass? instead of a 36%	on one of his tests
Mean: Median Mode: Range: Nhat is	70% n: Mario's cue would hathe mean	ean, median, 89% Urrent percente studied fo	er test scores. mode, and ro 75% Int and letter gr or the test and	ange of the do 36% rade in the cla scored a 91%	ta. 80% ass? instead of a 36%	on one of his tests,

Dot Plots & Bar Graphs


Name:

Date: _____

Daily Target: I can create a bar graph or dot plot from given data.

Dot Plot

A type of _____ using ____ to compare the ____ within categories or groups. Each dot represents ____ observation and are stacked to represent frequency.




Vowels in Antidisestablishmentarianism (longest non-coined, non-technical word)

Practice!!

Students in Ms. Oakes class were surveyed asking the number of brothers and sisters in their families (not counting themselves). The results are displayed below.


Number of Brother/Sisters 2, 4, 3, 2, 2, 1, 0, 2, 3, 2, 1, 1, 3, 0, 4

Plot the information on the dot plot given:



Bar Graph


A chart using ______ to show _____ between categories. The bars can be _____ or ____.



Practice!

Use the bar graph to answer the questions given!

- 1) Where does the data cluster?
- 2) What is the range?
- 3) What is the most common height? (the mode)



6. The data below represents the number of days of participation per month during one year in a city. 12, 10, 11, 9, 9, 10, 12, 9, 8, 7, 9, 10


Make a dot plot of the data. •



How many months are represente	d?		
Spread:	Syn	nmetry:	<u>s</u>
Cluster:	Me	an:	12.
Outlier:	Me	dian:	= ;
Peaks:	Mo	de:	<u></u>
Gaps:	Rar	ge:	
The data below represents the nu	mber of days of partici 12, 10, 11, 9, 9, 10		- '
Make a dot plot of the data.	12, 10, 11, 5, 5, 1	,, 12, 3, 3, 1, 3, 1	•
	,		**
		×	

<u>Data Distribution</u>	Name:	Date:	
Daily Target: I can identify the	e different ways data can be spread.		
Measure of Variability	y		
Measures of		e in a set of data	a.
Different Terms:		PLACEMENT TEST SCORE	:s
Symmetric: When the images o	d right sides of the graph are feach other.	2 3 4 5 6	6
Uniform: When the	of the data is the	20 30 40 50 60 70 80 90	100
Skew Left: When there is the other side.	data to the	than	
Skew Right: When there is more the other side.	to the	than	







Peaks:
Clusters:

An ______ where the graph is _____ than the surrounding areas.
When _____ area.

Practice!


Label which type of graph is show: skew left, skew right, symmetric, uniform.





Data Analysis

1.



Spread: _____

Cluster:


Outlier:

Peaks: _____

Gaps:

Symmetry: _____

2.



Spread:

Cluster:


Outlier:


Peaks:_____

Gaps: _____

Symmetry:

3.





Spread:_____

Cluster:

Outlier: _____

Peaks:

Gans:

Symmetry: _____

Mean: _____ Median: ____

Mode: _____ Range: ____

VIRUS X OUTBREAK EMERGENCY NOTIFICATION

come down with a variety of symptoms including coughs, fevers, and nausea. They have named it Virus X. When people become infected with Virus X they While some people infected with Virus X recover; others turn into zombies. Doctors have identified a dangerous virus that is spreading across America.

You are part of a medical research team that works for the Center for Disease Control (CDC.) Your team has been flown to an airport in Oregon to study a group of people with Virus X. These patients are quarantined in the airport to prevent the virus from spreading.

Analyze their information and help the CDC understand the virus. Figure out where the virus is coming from and why some people recover while others become zombies.

ed by:		
i eboir brebar		
ואבאבשורו	72+0.	המנה.

Virus X Patient Data

Compiled from patients quarantined at the Portland International Airport


Name	Age	Symptoms	State	Days of illness before recovery or zombification	Zombified or Recovered
Ada	52	fever, headache	Georgia	6	Recovered
Skye	20	stomachache, headache	Wisconsin	11	Zombie
Anthony	11	stomachache, fever	Florida	8	Recovered
Samuel	5	fever,cough	Mississippi	8	Recovered
Ruth	29	fever, headache	Tennessee	13	Zombie
Jonathan	16	nausea, headache	Washington	5	Recovered
Eric	20	cough, fever	Florida	9	Zombie
Mia	15	fever, headache	Wyoming	9	Recovered
Minaya	4	fever, headache	Texas	5	Recovered
Giovanni	51	fever, headache	Alabama	5	Recovered
James	33	nausea, headache	Arizona	15	Zombie
Juliet	24	fever, headache	Oregon	12	Zombie
Naomi	41	nausea, headache	South Carolina	10	Zombie
Fatima	55	stomachache, fever	New York	14	Recovered
Andre	41	stomachache , headache	Montana	6	Zombie
Tyshawn	42	fever, headache	Arizona	9	Zombie
Christopher	51	stomachache, fever	Florida	8	Recovered
Jahmilia	11	fever,cough	Idaho	7	Recovered
Daniel	35	fever, nausea	Florida	8	Zombie
Mahmoud	60	fever, cough	California	3	Recovered
Gabrielle	12	nausea, cough	Georgia	5	Recovered
Katie	32	headache, fever	Pennsylvania	14	Zombie



Source: Wikimedia.com

1. Who recovers and who becomes zombified?


It's difficult to analyze the data in list form. Start your analysis by creating two dot plots on the number lines shown below. Make one dot plot for the ages of the people who became zombies and another dot plot for the ages of people who recovered. Be sure to title the dot plots.




		of the data or are they e means? Explain.	
of people who become zombies. Show your work:	Find the mean age of people who recovered. Show your work.	Summarize: What do you notice about the means that you just found? Do both statistics give a good picture of the data or are they misleading? If you had to give an update to the press, would you share the information about the means? Explain.	
Find the mean age	Find the mean age	Summarize: What do you notice misleading? If you h	

2. Where is VIRUS X originating?

Epidemiologists also want to figure out the source of the virus - they need to figure out where it's coming from. Use the data and the maps to create a bar graph showing where the infected people were traveling from.



What conclusions can you draw from the data? Use mathematical vocabulary.



3. How can doctors diagnose VIRUS X?

Determine the most common symptoms experienced by people who become zombies by creating a frequency table.

Symptom	# of people who became zombies
,	

4. Press release

Write a short article that can be published on the CDC's website explaining everything you've discovered about Virus X.

5. A New Victim: Dana Watson	na Watson
A new patient has co	A new patient has come to you for assistance. Answer her questions using the data to support your answers.
Dana: "Hello, my na headaches, a fever, a	Dana: "Hello, my name is Dana. I'm 31 years old, and I'm from South Carolina. I've had a variety of symptoms: headaches, a fever, and a rash. Do you think I will recover or become a zombie?
Doctor:	
Dana: "Since I'm probably going to with a detailed overview of what to	Dana: "Since I'm probably going to
Doctor:	
Work Space:	

	
·	
Y	
3	
:	

-	
	
30	
	4 4 4

+
•
ė.

	_
	_
	_
	_
	=
	-
	_
*	
	_
	-
	_
	_
	_
	_
	-
	_
	=
	_
	_

· · · · · · · · · · · · · · · · · · ·
x